



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/740,487	12/19/2000	Michelle Q. Wang Baldonado	D/99342	3504

23910 7590 08/09/2005
FLIESLER MEYER, LLP
FOUR EMBARCADERO CENTER
SUITE 400
SAN FRANCISCO, CA 94111

EXAMINER

ZHEN, LI B

ART UNIT PAPER NUMBER

2194

DATE MAILED: 08/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/740,487

Applicant(s)

WANG BALDONADO ET AL.

Examiner

Li B. Zhen

Art Unit

2194

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 25 May 2005.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-11,13,14,17 and 19-33 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-11,13,14,17 and 19-33 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: _____

20

DETAILED ACTION

1. Claims 1, 3-11, 13, 14, 17 and 19-33 are pending in the application. Claims 2, 12, 15, 16 and 18 are cancelled.

Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on May 25, 2005 has been entered.

Response to Arguments

3. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 101

4. 35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

5. Claims 1, 3 – 11, 13 and 14 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.
6. Claims 1, 3 – 11, 13 and 14 are directed to method steps, which can be practiced mentally in conjunction with pen and paper, therefore they are directed to non-statutory

Art Unit: 2194

subject matter. Specifically, as claimed, it is uncertain what performs each of the claimed method steps. Moreover, each of the claimed steps, inter alia, receiving, selecting, preparing, transmitting, determining, creating, preparing, and making a call, can be practiced mentally in conjunctions with pen and paper. The claimed steps do not define a machine or computer implemented process [see MPEP 2106]. Therefore, the claimed invention is directed to non-statutory subject matter. (The examiner suggests applicant to change "method" to "computer implemented method" in the preamble to overcome the outstanding 35 U.S.C. 101 rejection).

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. **Claims 1, 3 – 5, 8 – 10, 14, 17, 19 – 21, 24 – 26 and 29 – 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent NO. 6,598,067 to Wydra [hereinafter referred to as Wydra, recited in the previous office action] in view of U.S. Patent No. 5,581,691 to Hsu et al. [hereinafter referred to as Hsu].**

9. As to claim 1, Wydra teaches the invention substantially as claimed including a method for preparing a job for execution by a batch job execution system [col. 3, lines 25 – 31], comprising the steps of:

Art Unit: 2194

receiving a job from an external source [client computers 22 request a service to be performed; col. 5, lines 54 – 67], wherein the job includes at least one task [col. 9, lines 64 – 67];

selecting a program, subsequent to receiving the job, which includes a first part and a second part [service 132 created by the ASF as a service inherited from the services object 134, in relation to other services 136, 138, 140 also inherited from the services object 134, Fig. 8; col. 11, lines 23 – 33], which may be used in executing the job [service broker 30 section of the ASF determines whether the application server 24 to which the client computer 22 is coupled can execute the requested service; col. 5, lines 54 – 67];

preparing a batch job by associating the selected program with the job [service broker 30 interfaces with the listener 32 section of the ASF residing on the application server 24; col. 5, lines 54 – 67]; and,

transmitting the batch job toward the batch job execution system [service broker 30 interfaces with the listener 32 section of the ASF residing on the application server 24, and transmits the service request to the listener 32; col. 5, lines 54 – 67].

10. Although Wydra teaches the invention substantially, Wydra does not specifically teach a job including a plurality of tasks.

However, Hsu a job including a plurality of tasks [job is ready to progress to step 474 or, instead, should be sent back to step 476. For instance, the steps 476 and 152-1 to 152-5 shown in FIG. 12 might be tasks; col. 11, lines 1 – 10 and col. 6, lines 18 – 38], a part of a program including a plurality of steps, wherein each step identifies a service

Art Unit: 2194

which is offered by the batch job execution system which can be used in executing at least a portion of one of the tasks of the batch job [an Application ID 274 that identifies the application program, if any, executed by this step; col. 8, lines 8 – 18] and information about data dependencies between the steps, so that the batch job execution system can determine whether an output of one of the tasks associated with a first one of the steps is needed as an input for a second one of the steps, and thus whether the second step can be started before the first step [work flow connects these simple steps together, and it can make use of control steps to provide creative connections. For example, if two steps A and B are to be connected as from A to B, and A's output message does not quite match B's input message, the work flow description can be set up to include a control step C between steps A and B to map the data in the message fields; col. 17, lines 7 – 35].

11. It would have been obvious to a person of ordinary skill in the art at the time of the invention to apply the teaching of a job including a plurality of tasks as taught by Hsu to the invention of Wydra because this divides the job into a plurality of tasks and allows for the computerized coordination of tasks that require cooperative participation by multiple principals, and allow the job to be processed a distributed set of computers [col. 1, lines 5 – 11 of Hsu].

12. As to claim 3, Wydra as modified teaches the second part of the program is for executing at least a portion of one of the tasks of the batch job [requested service is executed in operation 124, Fig. 3; col. 7, lines 1 – 5 of Wydra]; and, is further capable of

generating additional steps to be executed by the batch job execution system in order to complete the task being executed [col. 11, line 49 – col. 12, line 5 of Wydra].

13. As to claim 4, Wydra as modified teaches the program is selected from a plurality of programs stored in a library, wherein the programs are capable of being executed by the batch job execution system [primary application server determines which of the other applications servers or the primary application server should execute the service requested by a client computer 22, based upon which application server(s) is/are designated to execute the requested service; col. 12, lines 6 – 16 of Wydra].

14. As to claim 5, Wydra as modified teaches receiving a signal from the external source designating the program to be selected [based on the load balancer 148, the listener 32 advises the connection controller 34 of the preferred application server 24; col. 12, lines 17 – 31 of Wydra].

15. As to claim 8, Wydra as modified teaches a method for preparing a batch job for execution by a batch job execution system [col. 3, lines 25 – 31 of Wydra], comprising the steps of:

receiving a batch job [client computers 22 request a service to be performed; col. 5, lines 54 – 67 of Wydra] comprising a plurality tasks [col. 11, lines 1 – 10 and col. 6, lines 18 – 38 of Hsu], by a first part of the batch job execution system [service broker 30 section, Fig. 6; col. 5, lines 54 – 67 of Wydra], wherein the batch job may be executed using a plurality of service providers [multiple application servers 24-1 through 24-M; col. 8, lines 35 – 54 of Wydra];

determining for the tasks of the batch job a service type [an Application ID 274 that identifies the application program, if any, executed by this step; col. 8, lines 8 – 18 of Hsu], offered by a service provider of the batch job execution system, which may be used for performing the task [listener 32 maintains and refers to a file storing that information to identify the candidate application servers. Once the listener 32 has determined the candidate application server(s) designated to execute the requested service; col. 12, lines 17 – 32 of Wydra];

creating at least one step for each of the plurality of tasks, wherein the steps comprise a first reference to the determined service type needed to perform the task [col. 8, lines 8 – 16 of Hsu], and a second reference to the task [provides to the connection controller the name of the application server 24 making the request for the process, along with the object name of the process; col. 7, lines 50 – 64 of Wydra];

determining an efficient way to organize the created steps for execution by the batch job execution system [listener 32 refers to the conventional load balancer 148...to determine which of the candidate application servers is most ideally suited--from an overall system load perspective--as a preferred application server to execute the requested service; col. 12, lines 17 – 31 of Wydra];

preparing a program which comprises the created steps, and the organization of steps for execution by the batch job execution system [service broker 30 interfaces with the listener 32 section of the ASF residing on the application server 24; col. 5, lines 54 – 67 of Wydra]; and,

Art Unit: 2194

transmitting the batch job and the prepared program toward a second part of the batch job execution system [service broker 30 interfaces with the listener 32 section of the ASF residing on the application server 24, and transmits the service request to the listener 32; col. 5, lines 54 – 67 of Wydra].

16. As to claim 9, Wydra as modified, teaches a provider matrix that comprises: a list of services which are capable of being performed by the batch job execution system; and, a list of service providers which are capable of performing the services [a file storing that information to identify the candidate application servers; col. 12, lines 15 – 35 of Wydra].

17. As to claim 10, this is rejected for the same reasons as claim 3 above.

18. As to claim 14, Wydra as modified teaches a method for preparing and executing a task of a batch job by a batch job execution system [col. 3, lines 25 – 31 of Wydra], comprising the steps of:

receiving at a first service provider of the batch execution system [multiple application servers 24-1 through 24-M; col. 8, lines 35 – 54 of Wydra] the task to be executed [client computers 22 request a service to be performed; col. 5, lines 54 – 67 of Wydra] from a job management apparatus [service broker 30 section, Fig. 6; col. 5, lines 54 – 67 of Wydra] of the batch job execution system [col. 3, lines 25 – 31 of Wydra];

in response to receiving the task from the job management apparatus, creating a plurality of steps at the first service provider [col. 8, lines 8 – 16 of Hsu], which must be

Art Unit: 2194

executed by a plurality of other service providers in order to complete the task [provides to the connection controller the name of the application server 24 making the request for the process, along with the object name of the process; col. 7, lines 50 – 64 of Wydra];

transmitting the plurality of steps to be completed, from the first service provide toward the job management apparatus of the batch job execution system for execution [service broker 30 interfaces with the listener 32 section of the ASF residing on the application server 24, and transmits the service request to the listener 32; col. 5, lines 54 – 67 of Wydra], so that the job management apparatus can distribute the plurality of steps to a plurality of other service providers that will execute the plurality of steps [a "model" of each type of work flow defined for a particular distributed computer system; col. 6, lines 9 – 18 of Hsu];

receiving at the first service provider a plurality of results from the job management apparatus of the batch job execution system [notifies the client computer 22 requesting the service upon completion of the service; col. 6, lines 1 – 19 of Wydra] once the plurality of steps have been executed by a plurality of other service providers [col. 15, lines 15 – 25 of Hsu]; and,

preparing at the first service provider an output comprising the plurality of results [job management screen 150 displays the last time the service was performed, the next scheduled time the service will be performed, and the current status of each service that is available; col. 12, lines 43 – 60 of Wydra].

19. As to claim 17, Wydra as modified, teaches an apparatus for preparing a job for execution by a batch job execution system [col. 3, lines 25 – 31 of Wydra], comprising:

Art Unit: 2194

a client [client computers 22-1 through 22-N; col. 5, lines 1 – 7 of Wydra], which is capable of receiving a job from an external source [col. 10, lines 50 – 55 of Wydra], wherein the job includes a plurality of tasks [col. 11, lines 1 – 10 and col. 6, lines 18 – 38 of Hsu], wherein the client is for: selecting a program which comprises a first part and a second part [service 132 created by the ASF as a service inherited from the services object 134, in relation to other services 136, 138, 140 also inherited from the services object 134, Fig. 8; col. 11, lines 23 – 33 of Wydra], wherein the program may be used in executing the job [service broker 30 section of the ASF determines whether the application server 24 to which the client computer 22 is coupled can execute the requested service; col. 5, lines 54 – 67 of Wydra]; preparing a batch job by associating the selected program with the job [col. 5, lines 54 – 67 of Wydra]; and, transmitting the batch job toward the batch job execution system [col. 5, lines 54 – 67 of Wydra]; wherein the first part of the program includes a plurality of steps, wherein each step identifies a service which is offered by the batch job execution system which can be used in executing at least a portion of one of the tasks of the batch job [an Application ID 274 that identifies the application program, if any, executed by this step; col. 8, lines 8 – 18 of Hsu] and information about data dependencies between the steps, so that the batch job execution system can determine whether an output of one of the tasks associated with a first one of the steps is needed as an input for a second one of the steps, and thus whether the second step can be started before the first step [work flow connects these simple steps together, and it can make use of control steps to provide creative connections. For example, if two steps A and B are to be connected as from A

Art Unit: 2194

to B, and A's output message does not quite match B's input message, the work flow description can be set up to include a control step C between steps A and B to map the data in the message fields; col. 17, lines 7 – 35 of Hsu].

20. As to claims 19 – 21, these are rejected for the same reasons as claim 3 – 5 above.

21. As to claim 24, Wydra as modified teaches an apparatus for preparing a batch job for execution by a batch job execution system [col. 3, lines 25 – 31 of Wydra], comprising:

a service provider [multiple application servers 24-1 through 24-M; col. 8, lines 35 – 54 of Wydra], for: receiving a batch job comprising a plurality of tasks [col. 11, lines 1 – 10 and col. 6, lines 18 – 38 of Hsu], wherein the batch job may be executed using a plurality of service providers [col. 8, lines 35 – 54 of Wydra]:

determining for the tasks of the batch job a service type, offered by a service provider of the batch job execution system, which may be used for performing the task [listener 32 maintains and refers to a file storing that information to identify the candidate application servers. Once the listener 32 has determined the candidate application server(s) designated to execute the requested service; col. 12, lines 17 – 32 of Wydra];

creating at least one step for each of the plurality of tasks [col. 8, lines 8 – 16 of Hsu], wherein the step comprises a references to the determined service type needed to perform the task, and a reference to the task [provides to the connection controller

Art Unit: 2194

the name of the application server 24 making the request for the process, along with the object name of the process; col. 7, lines 50 – 64 of Wydra];

determining an efficient way to organize the created steps for execution by the batch job execution system [listener 32 refers to the conventional load balancer 148...to determine which of the candidate application servers is most ideally suited--from an overall system load perspective--as a preferred application server to execute the requested service; col. 12, lines 17 – 31 of Wydra];

preparing a program which comprises the created steps; and the organization of the steps for execution by the batch job execution system [service broker 30 interfaces with the listener 32 section of the ASF residing on the application server 24; col. 5, lines 54 – 67 of Wydra]; and,

transmitting the batch job and the prepared program toward a job management apparatus [service broker 30 interfaces with the listener 32 section of the ASF residing on the application server 24, and transmits the service request to the listener 32; col. 5, lines 54 – 67 of Wydra].

22. As to claims 25 and 26, these are rejected for the same reasons as claims 9 and 10 above.

23. As to claim 29, Wydra as modified teaches an apparatus for preparing and executing a task of a batch job by a batch job execution system [col. 3, lines 25 – 31 of Wydra], comprising:

Art Unit: 2194

a service provider [col. 8, lines 35 – 54 of Wydra], which is capable of receiving the task [client computers 22 request a service to be performed; col. 5, lines 54 – 67 of Wydra] to be executed from a job management apparatus [service broker 30 section, Fig. 6; col. 5, lines 54 – 67 of Wydra], wherein the service provider is for:

creating a plurality of steps [col. 8, lines 8 – 16 of Hsu] which may be executed by a plurality of other service providers in order to complete the task [provides to the connection controller the name of the application server 24 making the request for the process, along with the object name of the process; col. 7, lines 50 – 64 of Wydra];

transmitting the plurality of steps [col. 6, lines 9 – 18 of Hsu] to be completed toward the job management apparatus for execution [service broker 30 interfaces with the listener 32 section of the ASF residing on the application server 24, and transmits the service request to the listener 32; col. 5, lines 54 – 67 of Wydra];

receiving a plurality of results from the job management apparatus once the plurality of steps have been executed [notifies the client computer 22 requesting the service upon completion of the service; col. 6, lines 1 – 19 of Wydra]; and,

preparing an output comprising the plurality of results [job management screen 150 displays the last time the service was performed, the next scheduled time the service will be performed, and the current status of each service that is available; col. 12, lines 43 – 60 of Wydra].

24. As to claim 30, Wydra as modified teaches an article of manufacture including an information storage medium wherein is stored computer readable information comprising: a client software component [client computers 22-1 through 22-N; col. 5,

Art Unit: 2194

lines 1 – 7 of Wydra] for: receiving a job from an external source [col. 10, lines 50 – 55 of Wydra], wherein the job includes a plurality of tasks [col. 11, lines 1 – 10 and col. 6, lines 18 – 38 of Hsu] that may be executed using a plurality of service provider software components [col. 8, lines 35 – 54 of Wydra];

selecting a program software component which references at least one of the plurality of service provider software components [col. 5, lines 54 – 67 of Wydra];

preparing a batch job software component by associating the selected program software component with the job [col. 5, lines 54 – 67 of Wydra]; and,

transmitting the batch job software component toward a job management apparatus software component [col. 5, lines 54 – 67 of Wydra],

wherein the first part of the program includes a plurality of steps, wherein each step identifies a service which is offered by the batch job execution system which can be used in executing at least a portion of one of the tasks of the batch job [an Application ID 274 that identifies the application program, if any, executed by this step; col. 8, lines 8 – 18 of Hsu] and information about data dependencies between the steps, so that the batch job execution system can determine whether an output of one of the tasks associated with a first one of the steps is needed as an input for a second one of the steps, and thus whether the second step can be started before the first step [work flow connects these simple steps together, and it can make use of control steps to provide creative connections. For example, if two steps A and B are to be connected as from A to B, and A's output message does not quite match B's input message, the work

Art Unit: 2194

flow description can be set up to include a control step C between steps A and B to map the data in the message fields; col. 17, lines 7 – 35 of Hsu].

25. As to claim 31, Wydra as modified teaches an article of manufacture including an information storage medium wherein is stored computer readable information comprising:

a service provider software component [multiple application servers 24-1 through 24-M; col. 8, lines 35 – 54 of Wydra], which offers a service of conversion planning [job scheduler 36; col. 5, lines 7 – 26 of Wydra], wherein the service provider software component is for: receiving a batch job software component [col. 5, lines 54 – 67 of Wydra];

separating the batch job software component into a plurality of tasks [building a schedule of services to be executed using the schedule controller 36; col. 6, lines 43 – 54 of Wydra], wherein the tasks may be performed by a service provider software component of a batch job execution system [col. 8, lines 35 – 54 of Wydra];

determining for each of the plurality of tasks a service type [an Application ID 274 that identifies the application program, if any, executed by this step; col. 8, lines 8 – 18 of Hsu], offered by one of the service provider software components, which may be used for performing the task [col. 12, lines 17 – 32 of Wydra];

creating at least one step for each of the plurality tasks [col. 8, lines 8 – 16 of Hsu], wherein the steps comprise a references to the service type needed to perform the task and a reference to the task [col. 7, lines 50 – 64 of Wydra];

determining an efficient way to organize steps for execution by the batch job execution system [col. 12, lines 17 – 31 of Wydra];

preparing a program software component, which comprises the steps and information designating the organization of the steps for execution by the batch job execution system [col. 5, lines 54 – 67 of Wydra]; and,

transmitting the batch job software component and the program software component toward a job management apparatus [col. 5, lines 54 – 67 of Wydra].

26. As to claims 32 and 33, this is rejected for the same reasons as claims 25 and 26 above.

27. **Claims 6, 7, 11, 13, 22, 23, 27 and 28 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wydra and Hsu further in view of U.S. Patent NO. 5,781,711 to Austin et al [hereinafter referred to as Austin, cited in the previous office action].**

28. As to claims 6 and 7, Wydra as modified does not teach identifying input and output type.

However, Austin teaches receiving a first signal from the external source, which identifies the input type of information included in the job [a compound segment is defined, herein, as each pair of input/output designations used to describe the processing of a job; col. 11, lines 35 – 47];

receiving a second signal from the external source, which identifies the desired output type of information to be obtained when the job has been executed [attributes

Art Unit: 2194

serve as directives for the printing system 10 indicating the manner in which a job copy is inputted and/or outputted; col. 11, lines 60 – 65]; and,

wherein the step of selecting a program is in response to receiving the first and second signal [each compound segment or frame, two tickets, namely an input ticket and an output ticket, are programmed to provide suitable information to the printing system regarding the input/output attributes of the job; col. 12, lines 1 – 19].

29. It would have been obvious to a person of ordinarily skilled in the art at the time of the invention to apply the teaching of identifying input and output type as taught by Austin to the invention of Wydra as modified because provides a protocol service that can translate different types of requests from remote hosts into a common format [col. 15, lines 15 – 20 of Austin].

30. As to claim 11, Wydra as modified teaches a method for preparing and executing a task of a batch job by a batch job execution system [col. 3, lines 25 – 31 of Wydra], comprising the steps of:

receiving the task of the batch job which is to be executed by a service provider [service 48 receives from the service broker 30 requesting the service 48 a callback instruction; col. 8, lines 21 – 29 of Wydra];

making a call to start a session with a remote platform, in response to receiving the task [Session manager; col. 13, lines 52 – 65 of Hsu];

making a call to put, subsequent to making a call to start a session, which transfers at least a portion of the information in the task to be executed to the remote platform [col. 5, lines 54 – 67 of Wydra];

making a call to convert, subsequent to making a call to put, which instructs the remote platform to perform a function on the information transferred to the remote platform [col. 15, lines 15 – 20 of Austin];

making a call to get, subsequent to making a call to convert which retrieves the converted information from the remote platform [Connectivity Core will translate this request into a DPA-compatible format and forward it to the DM subsystem; col. 14, lines 11 – 23 of Austin];

repeating each step of making a call to put, convert and get until the task is completed [After the document has been accepted, the Protocol Service starts to receive data from the underlying protocol stack and writes it into the I/O descriptor; col. 14, lines 23 – 36 of Austin]; and,

making a call to end the session with the remote platform [col. 14, lines 20 – 25 of Hsu];

wherein each of the above steps are performed by the service provider [col. 14, lines 23 – 36 of Austin],

wherein the step of making a call to start a session further comprises creating a unique address which identifies the session [col. 16, line 65 – col. 17, line 6 of Hsu]; and the step of making a call to end the session terminates the unique address [col. 17, lines 35 – 47 of Hsu].

31. As to claim 13, Wydra as modified teaches the remote platform is operating on a Windows based machine [col. 9, lines 40 – 45 of Wydra]; and the service provider is operating on a UNIX based machine [col. 16, lines 6 – 13 of Austin].

Art Unit: 2194

32. As to claims 22 and 23, these are rejected for the same reasons as claims 6 and 7 above.

33. As to claims 27 and 28, these are rejected for the same reasons as claims 11 and 13 above.

Conclusion

34. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent No. 6,632,251 to Rutten et al. teaches a document producing support system including sub-processes, activities and tasks.

35. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Li B. Zhen whose telephone number is (571) 272-3768. The examiner can normally be reached on Mon - Fri, 8:30am - 5pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Meng-Ai An can be reached on (571) 272-3756. The fax phone number for the organization where this application or proceeding is assigned is **571-273-8300**.

Art Unit: 2194

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Li B. Zhen
Examiner
Art Unit 2194

lbz


MENG-AL T. AN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100